

3050 Spruce Street
Saint Louis, Missouri 63103 USA
Telephone 800-325-5832 • (314) 771-5765
Fax (314) 286-7828
email: techserv@sial.com
sigma-aldrich.com

# **ProductInformation**

## Deoxycholic acid

Product Number **D 2510**Store at Room Temperature

### **Product Description**

Molecular Formula: C<sub>24</sub>H<sub>40</sub>O<sub>4</sub> Molecular Weight: 392.6 CAS Number: 83-44-3

pK<sub>a</sub>:  $6.58^1$   $\lambda_{max}$ : 310 nm<sup>2</sup>

Extinction Coefficient: E<sup>mM</sup> = 9.4

Specific Rotation: +55°

(1 g/100 ml in ethanol at 20 °C)<sup>1</sup>

The CMC is 0.21% (5 mM) and it is considered to be readily dialyzable.<sup>3</sup>

Deoxycholic acid has been used in a modified procedure to recover 40-80% of a protein from a 1 µg/ml solution.<sup>4</sup>

Deoxycholic acid forms molecular coordination compounds (so-called choleic acids) with many substances. Complexes with fatty acids have been studied extensively.<sup>1</sup>

#### **Precautions and Disclaimer**

For Laboratory Use Only. Not for drug, household or other uses.

### **Preparation Instructions**

The free acid is soluble at 0.24 g/L in water at 15 °C, while the sodium salt is soluble at >333 g/L in water at 15 °C. Therefore, pH control is very important to the use of this product. Aqueous solutions precipitate as the pH is lowered to 5.

#### References

- 1. The Merck Index, 12th Ed., Entry# 2946.
- 2. Arch. Biochem. Biophys., 59, 213 (1955).
- 3. Protein Purification Applications: A Practical Approach, Harris, E., and Angal, S.,ed., IRL Press (New York, NY: 1990), p. 71.
- 4. Mahuran, D., et al., A High Recovery Method for Concentrating Microgram Quantities of Protein from Large Volumes of Solution. Anal. Biochem., **129**, 513-516 (1983).

JLH/MWM/JRC 11/02